



COCIF DOORS COLLECTION

RUBICONE

LARSON

HALLEY

LINEAR e LINEAR ALLUMINIO

CATALINA e CATALINA ALLUMINIO

MITI

NEW ARK

GAE AULENTI


SOTTSASS

CONTRACT

HOSPITAL DOOR



RUBICONE



Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with mdf panels of 4mm each side with melamine finish. Door-core filled with anti termite honeycomb-cardboard panel of 35mm
Mdf/multilayer/mdf door-frame 40mm thick faced with melamine finish including rubber gasket on three sides.
Mdf flat adjustable architraves of 80x12mm with same laminate finish.





RUBICONE

Hardware including drill-in hinges anuba-type (butt-hinges on request), mortice lockset (cylinder on request), aluminium handle Bica model.




Anuba hinges




Aluminium handle
Bica type



Mortice lockset




COLORI OPACHI RUBICONE / FINISHED RUBICONE TYPE




Noce nazionale
Italian walnut



Rovere sbiancato
White oak



Tanganika
Tanganika



Bianco
White



RUBICONE

Available door-models:

Gallia RB -flush / panelled / vision panel

Imperiale RB -panelled / vision panel

Scozia RB -panelled / vision panel




Scozia RB



Imperiale RB




Door-frame extension (12mm thick) for wall-thickness more than 160mm



Largh. Cassonetto - Door Frame Width	
Sp. Muro - Wall Thickness	Largh Cassonetto - Frame Width
80mm - 99mm	82mm
100mm - 119mm	102mm
120mm - 139mm	122mm
140mm - 159mm	142mm
≥160mm	102mm + prolunga-extension



LARSON



Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with mdf panels of 4mm each side with laminate texture finish. Door-core filled with anti termite honeycomb-cardboard panel of 35mm; on request tubular chipboard panel 35mm thick available.

Mdf/multilayer/mdf **door-frame** 40mm thick faced with laminate texture finish including rubber gasket on three sides.

Mdf flat adjustable architraves of 80x12mm with laminate texture finish. Multilayer wood architraves available on request.



LARSON

Hardware including drill-in hinges anuba-type (butt-hinges on request), mortice lockset (cylinder on request), aluminium handle Susy model.



Anuba hinges




Aluminium handle
Susy-type



Mortice lockset



SBC solution on request:



Available door-models:

Altair -vision panel

Regolo -flush with 1 aluminium inlay

Ercole -flush with 3 aluminium inlays

Zenit -flush



LARSON/CATALINA laminate texture finish



Bianco Matrix



Olmo bianco



Tortora morbido



Bianco Vintage



Noce grigio
Vintage



Noce sablè



Palissandro bianco



Olmo color



Palissandro



Moro sablè

Olmo Bianco, Noce Grigio Vintage, Bianco Vintage -maximum permitted H2100mm



LARSON



Palissandro con maniglia New York Cromo lucido.
Palissandro detail with handle New York polished chrome



CATALINA

tutto legno a filo.



Catalina
Lato esterno
Cassonetto Catalina
External side
Catalina frame

Maniglia Linear cromo lucido
Handle Linear type polished chrome

Noce Sable






Polare
Cassonetto Filomuro
Filomuro frame

Maniglia Linear cromo lucido
Handle Linear type polished chrome



Meteor
Cassonetto Minima
Minima frame

Maniglia Linear cromo lucido
Handle Linear type polished chrome






HALLEY



Antares

ALPI Xlo 2.0 Flamed White
curated by Piero Lissoni
Variante orizzontale
Horizontal flame

Maniglia tipo New York
cromo lucido
Handle New York type
polished chrome



Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with wood veneered panels (mdf for lacquered finish) of 4mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 35mm; on request tubular chipboard panel 35mm thick available.

Wood veneered blockboard **door-frame** 40mm thick including rubber gasket on three sides. For lacquered finish the door-frame is made of mdf/multilayer/mdf.



HALLEY

Mdf flat adjustable architraves of 80x12mm. Multilayer wood architraves available on request.

Hardware including drill-in hinges anuba-type (butt-hinges on request), mortice lockset (cylinder on request), satin chrome handle Dublino model.




Anuba hinges



Satin Chrome
Dublino handle




SBC solution on request:






HALLEY

LACCATI OPACHI / DULL PAINTS



Bianco
White



Bianco grigio
White grey




Grigio perla
Pearl grey



Verde tenue
Green soft



Grigio ombra
Shadow grey



Tortora
Turtle-dove



Pernice
Partridge



Visone
Mink




Grigio pietra
Stone grey



Marron glacé
Marron glacé

LACCATI BRILLANTE / GLOSSY PAINTS



Bianco
White



Bianco grigio
White grey



Grigio perla
Pearl grey



Verde tenue
Green soft



Grigio ombra
Shadow grey



Tortora
Turtle-dove



Pernice
Partridge



Visone
Mink



Grigio pietra
Stone grey

ESSENZE OPACHE / FINISHED WOOD



ALPI Xilo 2.0 Flamed White
curated by Piero Lissoni



ALPI Xilo 2.0 Flamed Sand
curated by Piero Lissoni



ALPI Xilo 2.0 Flamed Grey
curated by Piero Lissoni



Tanganika
Tanganika



Rovere Tortora
Turtle-dove oak



Rovere cenere
Ash oak



Rovere termotrattato
thermo oak



Noce
Walnut



Noce americano
American walnut



HALLEY

Available door-models:

Vela 4 -vision panel

Vela 6 -vision panel

Andromeda -flush / vision panel

Imperiale TH -flush / panelled / vision panel

Antares -flush / panelled / vision panel




Andromeda

ALPI Xilo 2.0 Flamed Sand
curated by Piero Lissoni

Maniglia Daytona cromo lucido
Handle Daytona polished chrome



LINEAR Wood door-frame




Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with wood veneered panels (mdf for lacquered finish) of 4mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 35mm; on request tubular chipboard panel 35mm thick available.

Wood veneered blockboard **door-frame** 40mm thick including rubber gasket on three sides. For lacquered finish the door-frame is made of mdf/multilayer/mdf.



LINEAR

Wood door-frame



Concealed hinges



Satin chrome
Linear handle



Magnetic lockset

Mdf flat adjustable architraves of 80x12mm on the external side. Internally mdf architraves of 80x12mm flat with the door-leaf

Hardware including concealed hinges (opening 180 degrees) magnetic lockset b-four type; satin chrome Linear handle-set (squared rosetta) without key-hole (key-hole on request only)



LINEAR

Wood door-frame

Available door-models:

Linear -flush

Quadra -flush

Selene -glazed

Corona -flush with 2 aluminium inlays

Beta -glazed / panelled



Beta
Bianco texture
Texture white



Corona
Noce americano
American walnut
Variante orizzontale
Horizontal flume
Maniglia tipo Linear
design vintage
Handle Linear type satin chrome




Selene
Noce americano
American walnut

Maniglia tipo New York
nickel satinato
Handle New York type nickel chrome




LINEAR FILOLEGNO



Door-leaf 50mm thick including soft wood stiles and rails of 37x42mm faced with wood veneered panels (mdf for lacquered finish) of 4mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 35mm. Wood veneered blockboard **door-frame** 40mm thick including rubber gasket on three sides. For lacquered finish the door-frame is made of mdf/multilayer/mdf.



LINEAR FILOLEGNO



Concealed hinges



Satin chrome
Linear handle



Magnetic lockset

Mdf flat adjustable architraves of 80x12mm on the internal side. Externally mdf architraves of 100x12mm flat with the door-leaf and fixed with a pvc gasket.

Hardware including concealed hinges (opening 180 degrees) magnetic lockset b-four type; satin chrome Linear handle-set (squared rosetta) without key-hole (key-hole on request only)



LINEAR FILOLEGNO

Available door-models:

Filo -flush

Orione -flush with 2 aluminium inlays

Iras -vision panel / panelled



Filolegno
Bianco texture
Texture white

Maniglia tipo Linear
Cromo lucido
Handle Linear type
polished chrome

Apertura a spingere
Push open






LINEAR FILOMURO


Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with wood veneered panels (mdf for lacquered finish) of 4mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 35mm.

Untreated aluminium **door-jamb** to be painted on site available for push or pull openings, suitable for concrete wall or plasterboard.

Hardware including concealed hinges (opening 180 degrees) magnetic lockset b-four type; satin chrome Linear handle-set (squared rosetta) without key-hole (key-hole on request only)



Concealed hinges




Magnetic lockset




Satin chrome
Linear handle

- Frameless push-opening



Porta Interna "Linear" mod. "Polaris Filomuro apertura a tirare" - Internal Door "Linear" mod. "Polaris Filomuro Pull Opening"

- Frameless pull-opening




- Frameless closet-door



Reviz: 00	Data: 23/10/2019	Firma: FEDERICO R.	Tab. n°: Lin.Fil.75
Note: Montaggio su Cartongesso - 2 Ante Installation on Plasterboard - 2 Leaves			Data emissione: 23/10/2019
			Scala: VARE

Porta Interna "Linear" mod. "polaris Filomuro apertura a tirare" - Internal Door "Linear" mod. "polaris Filomuro Pull Opening"





LINEAR FILOMURO



Polaris
Filomuro a soffitto

Idra



LINEAR FILOMURO



Roller lockset



1023Z



926Z

DESIGN

Polaris

Verniciata assieme al muro
To be painted as the wall

Maniglia tipo 926Z nickel satinato
Handle 926Z type satined nickel



**LINEAR
FILOMURO**

Available door-models:

Polaris e Polaris Oliva -flush

Idra e Idra Oliva -flush with 2 aluminium inlays

Alfa -glazed / panelled




LINEAR ALUMINIUM MINIMA DOOR-FRAME




Pulsar
ALPI Xilo 2.0 Flamed Sand
curated by Piero Lissoni
Variante orizzontale
Horizontal flange

Alluminio bronzo scuro
anodizzato
Dark bronze anodized
aluminum


PULSAR MINIMA



QUASAR MINIMA



**EPSILON
MINIMA**








LINEAR ALUMINIUM MINIMA 'L' DOOR-FRAME



PULSAR "L"



QUASAR "L"





LINEAR ALLUMINIO PULSAR



Pivot hinges



Magnetic lockset


Door-leaf 40mm thick including soft wood stiles and rails of 37x31mm faced with wood veneered panels (mdf for lacquered finish) of 4mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 31mm.

Extruded anodised aluminium 6060 **door-jamb** including architraves 75mm wide in the 'L'-type.



Hardware including pivot hinges, magnetic lockset; satin chrome Linear handle-set (squared rosetta) without key-hole (key-hole on request only)



Satin chrome
Linear handle



Hardware including pivot hinges, customised magnetic lockset with handle.





LINEAR EPSILON GLASS-ALUMINIUM



Pivot hinges



Magnetic
lockset



New York handle
with privacy



New York handle

Door-leaf: glazed door with extruded anodised aluminium profiles of 40mm. Painted double glass of 4mm each included.

Extruded anodised aluminium 6060 **door-jamb** including architraves 75mm wide in the 'L'-type.

Hardware including pivot hinges, customised magnetic lockset with handle.

Hardware including pivot hinges, customised magnetic lockset with New York handle.



LINEAR SLIDING ALUMINIUM GLAZED DOORS






LINEAR SLIDING ALUMINIUM GLAZED DOORS






LINEAR SLIDING ALUMINIUM GLAZED DOORS


Hold on to the wall




Hold on to the ceiling




Hold on to the ceiling



Hold on to the ceiling -double door



Hold on to the ceiling
(concealed) -double door



Quasar H Max
2700mm

Epsilon H Max
2400mm



LINEAR LEGNO & FILOLEGNO

FINITURE PORTE / DOOR COLOURS

LACCATI OPACHI / DULL PAINTS



LACCATI BRILLANTE / GLOSSY PAINTS



ESSENZE OPACHE / FINISHED WOOD




ESSENZE TEXTURE / FINISHED TEXTURE



ESSENZE RUSTICO / FINISHED RUSTICO





LINEAR ALLUMINIO

FINITURE ALLUMINIO / ALUMINIUM FINISHED



Laccato bianco
White lacquered



Anodizzato argento
Silver anodized



Grigio quarzo
Quartz grey



Bronzo anodizzato
Bronze anodized



Bronzo scuro anodizzato
Dark bronze anodized

VETRI OPACHI / GLASS OPAQUE



V132
Bianco latte
White milk



V141
Verniciato Nero
Black lacquered



V151
Verniciato Beige
Beige lacquered




V131EXT
Bianco extra chiara



V200
Specchio
Mirror

T1

VETRI TRASPARENTI / TRANSPARENT GLASSES



V110
Acidato
Frosted




V115
Satinato grigio
Satinated grey



V116
Satinato bronzo
Satinated bronze



V121
Reflex grigio
Reflex grey




V122
Reflex bronzo
Bronze reflex



V100
Trasparente
Transparent



V101
Trasparente grigio
Transparent grey




V102
Trasparente bronzo
Transparent bronze



MITI



DAFNE



Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with wood veneered panels (mdf for lacquered finish) of 4mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 35mm; on request tubular chipboard panel 35mm thick available.

Wood veneered blockboard **door-frame** 40mm thick including rubber gasket on three sides. For lacquered finish the door-frame is made of mdf/multilayer/mdf.


Mdf decorative adjustable **architraves** of 80x16mm included.



MITI



Anuba hinges



Satin chrome Robot handle

Hardware including drill-in hinges anuba-type (butt-hinges on request), mortice lockset (cylinder on request), satin chrome handle Robot model.





MITI

Available door-models:

Musa -panelled/glazed

Urania 6 -panelled

Demetra -panelled/glazed

Circe -panelled/glazed

Dafne -panelled




Demetra vetro
ALPI Xilo 2.0 Flamed White
curated by Piero Lissoni

Maniglia tipo Robot bronzo uniforme opaco
Handle Robot type plain bronze matt



NEW ARK



Door-leaf 50mm thick including soft wood stiles and rails of 37x35mm faced with mdf panels of 8mm each side. Door-core filled with anti termite honeycomb-cardboard panel of 35mm.

Mdf/multilayer/mdf blockboard **door-frame** 40mm thick including rubber gasket on three sides.

Mdf flat adjustable **architraves** of 80x12mm included.



NEW ARK

Hardware including drill-in hinges
anuba-type (butt-hinges on request),
mortice lockset (cylinder on request),
satin chrome handle Robot model.




Anuba hinges



Satin chrome Robot handle



LACCATI OPACHE / DULL PAINTS



Bianco
White



Bianco grigio
White grey



Grigio perla
Pearl grey



Verde tenue
Green soft



Grigio ombra
Shadow grey




Tortora
Turtle-dove



Pernice
Partridge



Visone
Mink



Grigio pietra
Stone grey



Marron glacé
Marron glacé



NEW ARK

Available door-models:

Diplomat -flush/vision panel

Aurelia -flush/vision panel

Impero -flush/vision panel

Doge 4 / 6 -flush/vision panel


Universal -flush/vision panel



Impero Vetro



GAE AULENTI



Barcellona

Door-leaf 43mm thick including blockboard wood stiles and rails 43mm thick and panels 18mm thick.


Wood veneered blockboard **door-frame** 40mm thick including rubber gasket on three sides. For lacquered finish the door-frame is made of mdf/multilayer/mdf.

Mdf flat adjustable **architraves** of 80x12mm included.



GAE AULENTI


Hardware: concealed hinges, magnetic lockset and satin chrome Garda handle.



Concealed hinges



Satin chrome Garda handle



Magnetic lockset



GAE AULENTI

Available door-models:

Siviglia -panelled

Venezia -panelled

Barcellona -panelled



venezia




siviglia



SOTTASS

MADRAS



Door-leaf 43mm thick including soft wood stiles and rails of 37x35mm faced with mdf panels of 4mm each side with flat laminate finish. Door-core filled with anti termite honeycomb-cardboard panel of 35mm


Blockboard wood **door-frame** 40mm thick duly wood veneered or painted including rubber gasket on three sides.

Architraves: solid wood of 100x40mm.



SOTTASS

Hardware: concealed hinges, magnetic lockset and satin chrome Amleto handle.



Concealed hinges



Satin chrome Amleto handle



Magnetic lockset



SOTTASS

Available door-models:

Madras -panelled

Pakora -panelled

Gobi -panelled

Delhi -panelled/glazed

Mysore -panelled/glazed



Mysore vetro

Rovere termotrattato
Vetro trasparente bronzo.
Thermo oak
Bronze transparent glass.

Maniglia tipo Garda
bronzo uniforme opaco
Handle Garda type
plain bronze matt




Hospitality Doors



HOTEL & RESIDENTIAL



HOSPITAL DOORS



SCHOOLS & INSTITUTES



Hotel Doors Contract Collection





Hotel Doors Contract Collection

ALBERGHIERO

CONTRACT O

Plana

Porta a filo esterno con coprifili laterali
Door flush with external architraves

ALPI Xilo 2.0-Flamed Sand curated by Piero Lissoni
Variante orizzontale - Horizontal flame

Plana


Porta a filo esterno con coprifili laterali - texture bianco poro aperto
Door flush with external architraves - white veneered texture




Hotel Doors

in compliance with European Standards -EN1634


FIRE 30min



FIRE 60min



FIRE 90min







Fire Doors in compliance with American Standards -UL




Reviz:	00	Data:	08/10/2019	Firma:	FEDERICO R.	Tav. n°:	X 540
Note:	PORTE REI CON CERTIFICAZIONE UL Rw 30DB — STC 30DB					Data emissione:	08/10/2019
						Scala:	VARIE

Porta interna mod "X540" mod. "UL20" - Internal Door "X540" mod. "UL20"

FD20min STC 30dB with wood-jamb



Dimensioni massime: 1010x2455 mm
Max dimension: 39 3/4 in. x 96 5/8 in.





Fire Doors in compliance with American Standards -UL



FD30min STC 39dB with wood-jamb




doors windows
cocif.com

Reviz: 00	Data: 08/10/2019	Firma: FEDERICO R.	Int. n°: X 541
Nota: PORTA FILO LEGNO REI CON CERTIFICAZIONE UL			Data emissione: 08/10/2019
Rw 40dB – STC 39dB			Scala: VARIE

Porta interna mod "X541" mod. "UL30" – Internal Door "X541" mod. "UL30"



Dimensioni massime: 1070x2484 mm
Max dimension: 42 1/8 in x 96 13/16 in.





Fire Doors in compliance with American Standards -UL


FD20min STC 38dB frameless

in process the new test to reach 45min




reviz: 00	data: 08/10/2019	cliente: FEDERICO R.	tip. n°: X 542
Note: PORTE REI FILO MURO CON CERTIFICAZIONE UL			
Rw 38 - STC 38			
			Data emissione: 08/10/2019
			Scala: VARE

Porta interna mod "X542" mod. "UL20" - Internal Door "X542" mod. "UL20"



Dimensioni massime: 1055x2477 mm
Max dimension: 41 9/16 in. x 97 1/2 in.





Hospital & School



Emergency



Aluminium profiles detail






Aluminium door-frame



Concealed hinges



Hospital Collection





Hospital & School Contract






Sliding Doors GHOST model



Concealed truck hold on the wall



Floor rail





Soft closing




Sliding Doors GHOST model


External side




Internal side



la luce di passaggio a porta aperta si riduce di 140mm
Net opening reduced of 140mm when door is open




Apertura sinistra
Left Opening




Apertura Destra
Right Opening



Sliding Doors AIR model



Concealed truck




Soft closing





Sliding Doors with overhead aluminium box







Sliding Doors VISTA model






Sliding Pocket Doors



Internal side



External side





Aluminium BICA handle

options:



Satin chrome colour



Bronze colour on request



key



cylinder



Privacy L/O



Aluminium SUSY handle

Options:



Satin chrome colour



Brass colour on request



key



cylinder



Privacy L/O



Aluminium PARIS handle



Satin chrome colour



Options:
Stainless steel on request



key



cylinder



Privacy L/O



Aluminium DUBLINO handle

Options:



Satin chrome colour




Shiny chrome colour



key



cylinder



Privacy L/O




Shiny brass colour




Chrome NEW YORK handle

Shiny chrome



Satin chrome



Shiny brass





Chrome BOSTON handle



Satin chrome



Shiny chrome




Shiny brass



Chrome AMLETO handle



Satin chrome




Shiny chrome



Shiny brass



Chrome GARDA handle



Satin chrome



Shiny chrome




Shiny brass



Handles for sliding doors



**Satin chrome
with lock**



**Satin chrome
without lock**

Options:



Shiny chrome



Shiny brass



Stainless steel vertical handles



**Code 234
(INOX)**



**Quadro
(INOX)**



**PLANA
(INOX)**